



MANURE SPREADERS

# 0 **≤** ш R S P R Ш D D



## Shelbourne CONTENTS

INDEX	PAGE
ABOUT SHELBOURNE REYNOLDS	3
HISTORY	4
POWERSPREAD RANGE	5
POWERSPREAD DAIRY	6-11
POWERSPREAD PRO 1800-3200	12-19





#### OVER **FOUR DECADES** OF FARM MACHINERY

#### FOUNDED IN 1972, SHELBOURNE REYNOLDS HAS BEEN A FIXTURE IN AGRICULTURAL EQUIPMENT MANUFACTURING EVER SINCE.

Today, we are located on the same site in Stanton, near Bury St Edmunds, Suffolk, where we were established – but our business continues to grow. Our factory now covers over 12,000 sq m of the two hectare premises on which we are based, and employs 150 people.

Here, we use the latest design software to create the machines our markets demand, and utilise some of the most sophisticated manufacturing equipment available to produce not only Powerspread manure spreaders, but also Shelbourne hedge trimmers, Powermix diet feeders, combine headers and trailers and a host of harvesting, livestock and ground-care machinery.

The latest design software is used to create the machines our markets demand, some of the most sophisticated manufacturing equipment is then used to produce not only Powerspread manure spreaders but also Shelbourne hedge trimmers, Powermix diet feeders, combine headers and trailers and other harvesting, livestock and ground-care machinery.

With Shelbourne Reynolds equipment, there's no question of compromising machine performance or longevity by using lower spec cheaper components. That means our dealers and customers benefit from knowing that we put our name to every component on our equipment.



### A PROVEN **HISTORY** IN SPREADING

SINCE 1994, WHEN SHELBOURNE REYNOLDS ENTERED THE SIDE DISCHARGE SPREADER MARKET WITH THE PURCHASE OF THE POWERSPREAD RANGE FROM ECON, MANURE SPREADERS HAVE BECOME A CORE PART OF OUR LIVESTOCK RANGE.

Shelbourne engineers have since refined the product and in the process improved its performance in both solid and liquid material, as well as its durability, serviceability and longevity.

The key advantages of the Powerspread range - right centre discharge, an overshot rotor and vertical opening door - have remained throughout.



Machine capacity has grown from 5,910 litres to 14,500

litres. Innovations such as a hydraulic drop-down rotor, anti-bridging arms and reverse drive, plus two ranges featuring nine models, make Shelbourne the leader in side discharge technology.